

**MIRAVIS PRIME FUNGICIDE**

Version 1.0      Revision Date: 05/16/2019      SDS Number: S00057237318

This version replaces all previous versions.

**SECTION 1. IDENTIFICATION**

Product name : MIRAVIS PRIME FUNGICIDE  
Design code : A20560E  
Product Registration number : 33207  
Other means of identification : No data available

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Canada Inc.  
Address : 140 Research Lane, Research Park  
Guelph ON N1G 4Z3  
Canada  
Telephone : 1-87-SYNGENTA (1-877-964-3682)  
Telefax : 1-519-823-0504  
Emergency telephone number : 1-800-327-8633 (FAST MED)

**Recommended use of the chemical and restrictions on use**

Recommended use : Fungicide

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS****Components**

| Chemical name    | CAS-No.      | Concentration (% w/w) |
|------------------|--------------|-----------------------|
| fludioxonil      | 131341-86-1  | 21.7391               |
| pydiflumetofen   | 1228284-64-7 | 13.0435               |
| propane-1,2-diol | 57-55-6      | >= 5 - < 10           |

Actual concentration or concentration range is withheld as a trade secret

## MIRAVIS PRIME FUNGICIDE

Version  
1.0

Revision Date:  
05/16/2019

SDS Number:  
S00057237318

This version replaces all previous versions.

### SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific  
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.  
Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during firefighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.

## MIRAVIS PRIME FUNGICIDE

Version 1.0      Revision Date: 05/16/2019      SDS Number: S00057237318      This version replaces all previous versions.

Cool closed containers exposed to fire with water spray.

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components       | CAS-No.      | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis     |
|------------------|--------------|-------------------------------|------------------------------------------------|-----------|
| fludioxonil      | 131341-86-1  | TWA                           | 5 mg/m <sup>3</sup>                            | Syngenta  |
|                  |              | TWA (Inhalable fraction)      | 1 mg/m <sup>3</sup>                            | ACGIH     |
| pydiflumetofen   | 1228284-64-7 | TWA                           | 5 mg/m <sup>3</sup>                            | Syngenta  |
| propane-1,2-diol | 57-55-6      | TWA (Vapour and               | 50 ppm<br>155 mg/m <sup>3</sup>                | CA ON OEL |

## MIRAVIS PRIME FUNGICIDE

Version  
1.0Revision Date:  
05/16/2019SDS Number:  
S00057237318

This version replaces all previous versions.

|  |  |                  |          |           |
|--|--|------------------|----------|-----------|
|  |  | aerosols)        |          |           |
|  |  | TWA<br>(aerosol) | 10 mg/m3 | CA ON OEL |

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

**Respiratory protection** : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

**Remarks** : No special protective equipment required.

**Eye protection** : No special protective equipment required.

**Skin and body protection** : No special protective equipment required.  
Select skin and body protection based on the physical job requirements.

**Protective measures** : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : liquid

**Colour** : whitish

**MIRAVIS PRIME FUNGICIDE**Version  
1.0Revision Date:  
05/16/2019SDS Number:  
S00057237318

This version replaces all previous versions.

---

|                                                  |   |                                                          |
|--------------------------------------------------|---|----------------------------------------------------------|
| Odour                                            | : | No data available                                        |
| Odour Threshold                                  | : | No data available                                        |
| pH                                               | : | 6 - 8<br>Concentration: 1 % w/v                          |
| Melting point/range                              | : | No data available                                        |
| Boiling point/boiling range                      | : | No data available                                        |
| Flash point                                      | : | Method: Pensky-Martens closed cup<br>does not flash      |
| Evaporation rate                                 | : | No data available                                        |
| Flammability (solid, gas)                        | : | No data available                                        |
| Upper explosion limit / Upper flammability limit | : | No data available                                        |
| Lower explosion limit / Lower flammability limit | : | No data available                                        |
| Vapour pressure                                  | : | No data available                                        |
| Relative vapour density                          | : | No data available                                        |
| Density                                          | : | 1.1 - 1.2 g/cm <sup>3</sup> (25 °C)                      |
| Solubility(ies)<br>Solubility in other solvents  | : | No data available                                        |
| Partition coefficient: n-octanol/water           | : | No data available                                        |
| Auto-ignition temperature                        | : | 640 °C                                                   |
| Decomposition temperature                        | : | No data available                                        |
| Viscosity<br>Viscosity, dynamic                  | : | No data available                                        |
| Explosive properties                             | : | Not explosive                                            |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing. |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                          |   |                                                             |
|--------------------------|---|-------------------------------------------------------------|
| Reactivity               | : | None reasonably foreseeable.                                |
| Chemical stability       | : | Stable under normal conditions.                             |
| Possibility of hazardous | : | No dangerous reaction known under conditions of normal use. |

**MIRAVIS PRIME FUNGICIDE**

Version 1.0      Revision Date: 05/16/2019      SDS Number: S00057237318      This version replaces all previous versions.

---

reactions

- Conditions to avoid : No decomposition if used as directed.
- Incompatible materials : None known.
- Hazardous decomposition products : No hazardous decomposition products are known.
- 

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Ingestion  
Inhalation  
Skin contact  
Eye contact

**Acute toxicity****Product:**

- Acute oral toxicity : LD50 (Rat, female): 2,958 mg/kg  
Remarks: Based on data from similar materials
- Acute inhalation toxicity : LC50 (Rat, male and female): > 3.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest attainable concentration  
Based on data from similar materials
- Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Remarks: Based on data from similar materials

**Components:****fludioxonil:**

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**pydiflumetofen:**

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.11 mg/l  
Exposure time: 4 h

**MIRAVIS PRIME FUNGICIDE**

Version 1.0      Revision Date: 05/16/2019      SDS Number: S00057237318      This version replaces all previous versions.

---

Test atmosphere: dust/mist  
Assessment: The component/mixture is minimally toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Components:****fludioxonil:**

Species : Rabbit  
Result : No skin irritation

**pydiflumetofen:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Components:****fludioxonil:**

Species : Rabbit  
Result : No eye irritation

**pydiflumetofen:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitisation****Product:**

Test Type : mouse lymphoma cells  
Species : Mouse  
Result : Did not cause sensitisation on laboratory animals.  
Remarks : Based on data from similar materials

**MIRAVIS PRIME FUNGICIDE**

Version 1.0      Revision Date: 05/16/2019      SDS Number: S00057237318

This version replaces all previous versions.

**Components:****fludioxonil:**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

**pydiflumetofen:**

Test Type : mouse lymphoma cells  
Species : Mouse  
Result : Did not cause sensitisation on laboratory animals.

**Germ cell mutagenicity****Components:****fludioxonil:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**pydiflumetofen:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**Carcinogenicity****Components:****fludioxonil:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**pydiflumetofen:**

Carcinogenicity - Assessment : Liver tumours noted in mice that are not relevant to humans.

**Reproductive toxicity****Components:****fludioxonil:**

Reproductive toxicity - Assessment : No toxicity to reproduction

**pydiflumetofen:**

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.



## MIRAVIS PRIME FUNGICIDE

Version 1.0      Revision Date: 05/16/2019      SDS Number: S00057237318      This version replaces all previous versions.

### Repeated dose toxicity

#### Components:

##### **fludioxonil:**

Remarks : No adverse effect has been observed in chronic toxicity tests.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.88 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.2 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 0.5 mg/l  
End point: Growth rate  
Exposure time: 96 h  
Remarks: Based on data from similar materials

#### Components:

##### **fludioxonil:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l  
Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 0.7 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0.27 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.44 mg/l  
Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.132 mg/l  
Exposure time: 96 h

ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l  
Exposure time: 96 h

NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l  
End point: Growth rate  
Exposure time: 96 h

M-Factor (Acute aquatic) : 1

## MIRAVIS PRIME FUNGICIDE

Version 1.0      Revision Date: 05/16/2019      SDS Number: S00057237318      This version replaces all previous versions.

toxicity)

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.04 mg/l  
Exposure time: 28 d  
  
NOEC (Pimephales promelas (fathead minnow)): 0.039 mg/l  
Exposure time: 33 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.035 mg/l  
Exposure time: 21 d

NOEC (Americamysis): 0.018 mg/l  
Exposure time: 28 d

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

### pydiflumetofen:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Americamysis): 0.16 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 5.9 mg/l  
Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.093 mg/l  
End point: Growth rate  
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.025 mg/l  
Exposure time: 32 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.042 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

**MIRAVIS PRIME FUNGICIDE**Version  
1.0Revision Date:  
05/16/2019SDS Number:  
S00057237318

This version replaces all previous versions.

**Persistence and degradability****Components:****fludioxonil:**

Biodegradability : Result: Not readily biodegradable.

**pydiflumetofen:**

Biodegradability : Result: Not readily biodegradable.

**Bioaccumulative potential****Components:****fludioxonil:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-  
octanol/water : log Pow: 4.12 (25 °C)**pydiflumetofen:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-  
octanol/water : log Pow: 3.8 (25 °C)**Mobility in soil****Components:****fludioxonil:**Distribution among  
environmental compartments : Remarks: immobileStability in soil : Dissipation time: 14 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.**pydiflumetofen:**Distribution among  
environmental compartments : Remarks: No data available**Other adverse effects****Components:****fludioxonil:**Results of PBT and vPvB  
assessment : This substance is not considered to be persistent,  
bioaccumulating and toxic (PBT). This substance is not  
considered to be very persistent and very bioaccumulating  
(vPvB).

## MIRAVIS PRIME FUNGICIDE

Version 1.0      Revision Date: 05/16/2019      SDS Number: S00057237318      This version replaces all previous versions.

### pydiflumetofen:

Results of PBT and vPvB assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Refer to the product label for specific disposal/recycling information

Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Refer to the product label for specific disposal/recycling information

Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUDIOXONIL AND PYDIFLUMETOFEN)  
Class : 9  
Packing group : III  
Labels : 9

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (FLUDIOXONIL AND PYDIFLUMETOFEN)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964

**MIRAVIS PRIME FUNGICIDE**

Version 1.0      Revision Date: 05/16/2019      SDS Number: S00057237318      This version replaces all previous versions.

---

Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUDIOXONIL AND PYDIFLUMETOFEN)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****TDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUDIOXONIL AND PYDIFLUMETOFEN)  
Class : 9  
Packing group : III  
Labels : 9  
ERG Code : 171  
Marine pollutant : yes(FLUDIOXONIL, PYDIFLUMETOFEN)

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION**

Contains the allergen sulfites

Warning, contains the allergen 1,2-benzisothiazolin-3-one

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

Warning

**The components of this product are reported in the following inventories:**

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

pydiflumetofen

fludioxonil

**MIRAVIS PRIME FUNGICIDE**

Version 1.0      Revision Date: 05/16/2019      SDS Number: S00057237318      This version replaces all previous versions.

---

Oxirane, 2-methyl-, polymer with oxirane

Siloxanes and Silicones, di-Me, polymers with silica-1,1,1-trimethyl-N-(trimethylsilyl)silanamine hydrolysis products and trimethylsilyl silicate

**Canadian lists**

No substances are subject to a Significant New Activity Notification.

---

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.  
ACGIH / TWA : 8-hour, time-weighted average  
CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 05/16/2019

**MIRAVIS PRIME FUNGICIDE**

Version      Revision Date:      SDS Number:  
1.0          05/16/2019          S00057237318

---

This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN